



CSC-CONTAINER

Collection - Sanitisation - Composting



One stop solution to your organic waste treatment!



Technical Data

Empty weight
Maximum filling weight
Total weight
Filling capacity
Outside length
Outside width
Outside height
Walls, floor, aeration pipes
Aeration technology
Power supply
Power consumption
Framework and hook lifter
Odour reduction
Unloading

Location tracking
Data connectivity
Sensors available

CSC-20

3,2 t
12 t
15,2 t
20 m³
~5,80 m
~2,20 m
~2,50 m
Stainless steel
Active positive aeration
230 V
Max. 80 W (50 to 70 W typically)
According DIN 30722
95% via semi-permeable membrane
Through rear pendulum flap and hook lifter
GPS
GPRS via cellular network
Temperature
Filling level
Lid closure
Pressure

CSC-30



3,8 t
17 t
20,8 t
30 m³
~6,40 m
~2,55 m
~2,65 m

For options and services please see data sheet!

Your video link:



All information is subject to change without notice. Printing errors reserved.




Benefits

- ✓ No odor emissions when closed
- ✓ Unbeatable price
- ✓ Optimized logistics and costs
- ✓ Minimal operation and maintenance costs
- ✓ Long life at minimal service costs
- ✓ Flexibility for expanding business
- ✓ Compliant to Animal-By-Product-Regulation (ABPR)

Applications

- ✓ Odor free decentral collection and storage
- ✓ Sanitation of source separated bio waste (SSW)
- ✓ Bio drying of Municipality Solid Waste (MSW)
- ✓ Bio stabilization of Municipality Solid Waste (MSW)
- ✓ Odor free sanitisation of slaughterhouse waste
- ✓ Treatment of animal by-products
- ✓ Small-scale composting facility on islands
- ✓ Closed in vessel composting
- ✓ Manure composting at farm level



Features

- ✓ Modular independent solution
- ✓ Secured aerobic conditions
- ✓ Odor free storage and composting
- ✓ Intelligent process control via Internet
- ✓ Temperature monitoring and trend
- ✓ Fully documented sanitisation
- ✓ Secure data storage and export
- ✓ GPS tracking for optimized logistics
- ✓ PLC controlled sensors
- ✓ Access from anywhere (PC, tablet, mobile)
- ✓ Alarms and notifications



STOP ODOUR – SANITIZE – MAKE COMPOST



Slaughterhouse Waste

Chicken manure

Source Separated Organic Waste

Municipality Solid Waste

Call us to arrange a trial rental.



Maria-Theresia-Straße 9 4600 Wels, Austria Telephone +43/7242/350 777-0 Fax 20
www.compost-container.com, office@compost-systems.com